HEDIS® Pediatric Pocket Guide: 2026 Measurement Year

For a complete list of codes, please visit the NCQA website at **ncqa.org**, or see the HEDIS value sets. The following is a subset only of the NCQA approved codes.

All Well-Child Visits

Must include the following: Documentation of a visit with an acceptable provider type, the date of the visit, and services to validate a well-child visit was performed.

Measure	Codes	Best Practice
(W30) Well-Child Visits in the First 30 Months of Life (0–30 months)[1,2]	99381, 99382, 99391, 99392, 99461, S0302, Z00.110, Z00.111, Z00.121, Z00.129, Z00.2, Z02.84, Z76.1, Z76.2	**Well-Child Visits in the First 15 Months.** For children who turned 15 months old during the measurement year: Six or more well-child visits. **Well-Child Visits for 15–30 Months of Age.** For children who turned 30 months of age during the measurement year: Two or more well-child visits.
(WCV) Child and Adolescent Well-Care Visits (3–21 years of age)[1,2]	99382–99385, 99392–99395, S0302, S0610, S0612, S0613, Z00.00, Z00.01, Z00.121, Z00.129, Z00.2, Z00.3, Z01.411, Z01.419, Z02.5, Z02.84, Z76, Z76.2	One or more comprehensive well-care visits with a primary care provider (PCP) or obstetrician/gynecologist (OB/GYN) within the measurement year. Visits occurring anytime in the measurement year, including prior to or after the patient's birthday, close the gap.

Respiratory Conditions

Measure	Codes	Best Practice
(CWP) Appropriate Testing for Pharyngitis[1,2]	**Group A Strep Test:** 87070, 87071, 87081, 87430, 87650–87652, 87880 **Pharyngitis:** J02.0, J02.8, J02.9, J03.00, J03.01, J03.80, J03.81, J03.90, J03.91	For episodes involving persons **3 years of age and older**: • **Establish** a *pharyngitis* diagnosis • **Test** for *group A streptococcus (strep)* • **Treat** with antibiotics *only if* **group A strep is detected** **Note:** *Perform a group A strep test* ***before*** *prescribing or dispensing antibiotics.*

Weight Assessment and Counseling for Nutrition & Physical Activity

Measure	Codes	Best Practice
(WCC) Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (3–17 years of age)[1,2]	**BMI:** Z68.51, Z68.52, Z68.53, Z68.54, Z68.55, Z68.56 **Nutrition Counseling:** 97802–97804, G0270, G0271, G0447, S9449, S9452, S9470, Z71.3 **Physical Activity (PA):** G0447, S9451, Z02.5, Z71.82	Can be completed during a PCP or OB/GYN visit during the measurement year. Documentation must include height, weight, body mass index (BMI) percentile, nutrition behaviors and counseling, and current physical activity behaviors and counseling or guidance.

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

coordinatedcarehealth.com

Lines of Business:
[1]Medicaid
[2]Marketplace

Coordinated Care and Ambetter are affiliated products serving Medicaid and Health Insurance Marketplace members, in the State of Washington respectively. The information presented here is representative of our network of products. If you have any questions, please contact Provider Relations.

coordinated care™

ambetter® from Coordinated Care

Immunizations

Measure	Codes	Best Practice
(CIS-E) Childhood Immunizations[1,2] (Completed on or before the 2nd birthday)	90697, 90698, 90700, 90723	**DTaP** – 4 Doses
	90670, 90671, 90677, G0009	**PCV** – 4 Doses
	90697, 90698, 90713, 90723	**IPV** – 3 Doses
	90644, 90647, 90648, 90697, 90698, 90748	**HiB** – 3 Doses
	90697, 90723, 90740, 90744, 90747, 90748, G0010	**Hep B** – 3 Doses
	2 Doses: 90681; 3 Doses: 90680	**RV** – 2 or 3 Doses
	90655–90658, 90660, 90661, 90672, 90674, 90685–90689, 90756	**Flu** – 2 Doses (LAIV meets criteria for one of the two required vaccinations if administered on the 2nd birthday)
	90710, 90716	**VZV** – 1 Dose
	90707, 90710	**MMR** – 1 Dose
	90633	**Hep A** – 1 Dose
(IMA-E) Immunizations for Adolescents[1,2] (Completed on or before the 13th birthday)	90619, 90623, 90624, 90733, 90734	**Meningococcal** – 1 Dose
	90715	**Tdap** – 1 Dose
	90649–90651	**HPV** – 2 or 3 Doses

Lead Screening

Measure	Codes	Best Practice
(LSC-NH) Lead Screening in Children[1]	83655, 27129-6, 10368-9, 5674-7, 10912-4, 77307-7, 14807-2, 32325-3, 25459-9, 17052-2	Evaluates the count and percentage of pediatric persons who turned 3 years of age during the measurement period and completed BOTH the one-year and two-year lead screenings. One-year screenings occur when a person is at least 11 months of age and less than 23 months of age. Two-year screenings occur when a person is at least 23 months of age and less than 36 months of age.

(SDOH) Social Determinants of Health: Improving Patient Outcomes by Identifying and Addressing Social Needs

Description	Codes	Best Practice
Occupational Exposure to Risk Factors	**ICD-10:** Z57.0–Z57.9	Include supplemental codes in the patient's diagnosis section on a claim form
Problems Related to Education and Literacy	**ICD-10:** Z55.0–Z55.9	
Problems Related to Employment and Unemployment	**ICD-10:** Z56.0–Z56.9	
Problems Related to Physical Environment	**ICD-10:** Z58.0–Z58.9	
Problems Related to Housing And Economic Circumstances	**ICD-10:** Z59.0–Z59.9	
Problems Related to Social Environment	**ICD-10:** Z60.0–Z60.9	
Problems Related to Upbringing	**ICD-10:** Z62.0–Z62.9	
Problems Related to Primary Support Group, Including Family Circumstances	**ICD-10:** Z63.0–Z63.9	
Problems Related to Certain Psychosocial Circumstances	**ICD-10:** Z65.0–Z65.9	

©2026 Coordinated Care.

5582942_WA6PCADMKTGDEE
Internal Approved 02232026